

CHAMBER TYPE BLOWER SILENCER

15 to 30 dBA Noise Reduction

MB21 OVERVIEW

An efficient economical design, the MB21 is useful on blower intakes or discharges. Use an MB21 where some background noise is always present and high degrees of silencing is not required.



Typical applications: Rotary positive blower intake and discharge (10" size and below)

FEATURES

- Advanced acoustical design
- Prime coated exterior finish

OPTIONS / ACCESSORIES

- Stainless steel or monel construction
- Flanged connections
- Standard pipe size necks
- Horizontal or vertical support arrangements
- Special paint
- Complete range of exhaust accessories



MB21								
Part No.*	Size / ØC	ØA	B	N Min	N Max	O	P	Est Wt
MB21-4	4	14	48	5.5	22	10	45	110
MB21-5	5	16	55	6.5	25	11	52.25	120
MB21-6	6	18	63	7	29.5	12	60.25	170
MB21-8	8	22	76	8.5	36.5	14	73.5	285
MB21-10	10	26	91	10.5	43	16.5	88	460
MB21-12	12	30	109	12	53	18.5	106.25	745
MB21-14	14	36	102	14	48	21.5	99.25	965
MB21-16	16	40	119	17	56	23.5	116.5	1340
MB21-18	18	45	127	19	60	26.5	124	1850
MB21-20	20	50	144	21	69	29	141.25	2175
MB21-22	22	54	161	22	78	31	158.5	2650
MB21-24	24	60	165	24	79	34	162.25	3400
MB21-26	26	64	183	26	89	36	180.5	3850
MB21-28	28	68	200	27	98	38	197.75	4840
MB21-30	30	72	216	29	107	40	213.75	5150

- All dimensions are in inches. All weights are in pounds. Weights are approximate.
- Listed sound data is based on typical performance and should not be considered absolute.
- *See [nomenclature guide](#) for additional information on part number creation.